


Exam Centre: SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

B.Tech S8 Exam May 2019


CIVIL ENGINEERING

Register No	CE402	CE404	CE474	CE492	MP469	CE462	IE488	FS482	BT362	SB482	SGPA	No_Arrears	Arrear Subjects
LSNG15CE126	C	B	C	B+	B						6.8	0	
LSNG15CE127	C	C		A		C	B				6.7	0	
LSNG15CE128	F	B	C	A+				C			0	1	CE402
LSNG15CE129	C	B	C	B+	B						6.8	0	
LSNG15CE130	F	C		A	B+	B					0	1	CE402
LSNG15CE131	B	B		A	B	A+					7.7	0	
LSNG15CE132	A+	B		A		A+	B+				8.3	0	
SNG15CE001	B	B	B	A					B+		7.5	0	
SNG15CE002	B+	B+		A	B+	A+					8.3	0	
SNG15CE003	A	B+	B+	A	B+						8.2	0	
SNG15CE004	B	B	C	A	B+						7.3	0	
SNG15CE006	C	F	F	B+	F						0	3	CE404,CE474,MP469
SNG15CE007	F	B	B+	B+					B+		0	1	CE402
SNG15CE008	B	B	B+	A	B+						7.7	0	
SNG15CE009	F	F	P	A					B		0	2	CE402,CE404
SNG15CE010	B	B	B	A				B+			7.5	0	
SNG15CE011	F	F		B+		C			C		0	2	CE402,CE404
SNG15CE012	C	B	B	A	B+						7.3	0	
SNG15CE013	F	C	B	A	B						0	1	CE402
SNG15CE014	B	B+		A	B+	A					8	0	
SNG15CE015	P	B	B+	A	B						7.1	0	
SNG15CE016	B+	B+	B	A	B+						7.9	0	
SNG15CE017	C	C	P	A				C			6.3	0	
SNG15CE019	C	B	B+	B+	B+						7.4	0	
SNG15CE020	B+	B	B	A					B		7.5	0	
SNG15CE021	C	B	C	A+	B+						7.2	0	
SNG15CE022	C	B		B+		B+				B+	7.4	0	
SNG15CE023	B	B		A+		Absent				Absent	0	2	CE462,SB482
SNG15CE025	B+	B	B	B+					A		7.7	0	
SNG15CE027	A	B+	B	B+					B+		7.9	0	



Aluse
Sree Narayana Gurukulam
College of Engineering
Kadayiruppi, Kolenchery


SNG15CE028	B+	C	B	A					B+	7.5	0	
SNG15CE029	P	C	C	B+				B		6.4	0	
SNG15CE030	C	B		B+		B+			B	7.2	0	
SNG15CE031	C	B	B	B+	C					6.8	0	
SNG15CE033	C	B		A	B	B				7.1	0	
SNG15CE034	B	B+		A+		B+			A+	8.2	0	
SNG15CE036	O	B		A		A+	B+			8.5	0	
SNG15CE037	A+	B	B	B+				B+		7.8	0	
SNG15CE038	A+	B+		A		A+	A			8.6	0	
SNG15CE039	F	C		A	B+	B				0	1	CE402
SNG15CE040	F	P	P	B+	C					0	1	CE402
SNG15CE041	F	C	C	B+	B					0	1	CE402
SNG15CE042	B	C	C	B+				C		6.6	0	
SNG15CE043	C	C	B	B+	B					6.8	0	
SNG15CE044	A	A	B+	A+			A+			8.6	0	
SNG15CE045	B+	B	B+	A	A					8	0	
SNG15CE046	B	B	B	B+	B					7.2	0	
SNG15CE047	A	B+		A+	B+	O				8.7	0	
SNG15CE049	B	B		A		B+			B+	7.7	0	
SNG15CE050	A+	A		O		O			A+	9.3	0	
SNG15CE051	B+	B+		A		B+			B+	8.1	0	
SNG15CE052	B	B		O		A			A	8.2	0	
SNG15CE053	B	B	B	B+	C					7	0	
SNG15CE054	A	B	B+	A	B					7.8	0	
SNG15CE056	F	B	C	B+	C					0	1	CE402
SNG15CE057	B+	B		B+		O			B+	8.2	0	
SNG15CE058	F	C	C	A			B			0	1	CE402
SNG15CE059	B	B+		A		A		B+		8	0	
SNG15CE060	B	B		A+	B+	A+				8	0	
SNG15CE061	C	B		A+	A	A				7.8	0	
SNG15CE062	C	F	B	A				B		0	1	CE404
SNG15CE063	B+	B+		B+		A+			A	8.3	0	
SNG15CE064	A	B	B+	A				B+		8	0	
SNG15CE065	B	P	B	B+			B+			7	0	



A. M. Jose

PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery-682 311

SNG15CE066	B+	C	C	A				C		6.9	0	
SNG15CE068	B	B		A	A	A+				8	0	
SNG15CE070	B	C		A	B	B				7.1	0	
SNG15CE071	B+	C		B+		A			B+	7.7	0	
SNG15CE072	C	C		B+		F			P	0	1	CE462
SNG15CE073	A+	B+		A		O			B+	8.7	0	
SNG15CE074	O	B		A	O	A				8.8	0	
SNG15CE075	B+	C		A+		B+			B	7.6	0	
SNG15CE076	A	C		A+		A+			B+	8.1	0	
SNG15CE077	A	B	B	A+					B+	7.9	0	
SNG15CE079	B+	C		A	B+	B+				7.7	0	
SNG15CE080	C	F	B	B+				C		0	1	CE404
SNG15CE081	B	B	B	B				B		7	0	
SNG15CE083	B+	B		B+		B+	B			7.6	0	
SNG15CE085	A+	C		A	A+	A				8.2	0	
SNG15CE086	A+	B+		A	A+	O				8.9	0	
SNG15CE087	B+	B		A	B	B				7.5	0	
SNG15CE088	C	P	B+	B+				C		6.6	0	
SNG15CE089	F	P	P	B+				B		0	1	CE402
SNG15CE091	B+	B		A		B	B			7.5	0	
SNG15CE092	B+	B	B	A+					B+	7.8	0	
SNG15CE093	B+	C	B	B+			B			7.2	0	
SNG15CE094	F	P	P	A				C		0	1	CE402
SNG15CE095	B+	B	B+	A			C			7.5	0	
SNG15CE096	F	F	F	B+				C		0	3	CE402,CE404,CE474
SNG15CE097	B	C		A		B	B			7.1	0	
SNG15CE098	F	F		A+		B			C	0	2	CE402,CE404
SNG15CE099	A	B		A		B+			B	7.8	0	
SNG15CE100	B	C	C	B+					B	6.8	0	
SNG15CE101	C	C	C	A+				C		6.6	0	
SNG15CE102	P	P	C	B+				C		6	0	
SNG15CE103	B	C	C	B+				C		6.6	0	
SNG15CE104	F	F		B+		C			P	0	2	CE402,CE404
SNG15CE105	C	C	B	A+	B					7	0	



PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682311

Handwritten signature

SNG15CE106	F	P		A		C	B				0	1	CE402
SNG15CE107	F	F	C	B				C			0	2	CE402,CE404
SNG15CE108	B	C	B	A				B			7.1	0	
SNG15CE109	F	C	C	B+					B		0	1	CE402
SNG15CE110	B+	B+	B	B+			B+				7.8	0	
SNG15CE111	C	P	C	B				B			6.2	0	
SNG15CE112	B+	B+		B+		A+	B+				8.2	0	
SNG15CE113	A	B+		A		A+			B+		8.4	0	
SNG15CE114	A+	B+		A		A+			B+		8.5	0	
SNG15CE115	A+	B+		A	B+	A+					8.5	0	
SNG15CE116	B+	C	B	B+					C		7	0	
SNG15CE117	O	B	B+	A	O						8.7	0	
SNG15CE118	F	C	C	A				C			0	1	CE402
SNG15CE119	F	P	C	B				C			0	1	CE402
SNG15CE120	B	C	B	A				B			7.1	0	
SNG15CE121	B+	P	C	B+				C			6.6	0	
SNG15CE122	B	C		O		A	B+				7.9	0	
SNG15CE123	B+	C	B+	A					B+		7.7	0	
SNG15CE124	B	B		A	B	B+					7.5	0	
SNG15CE125	B	C		A		B+	B+				7.5	0	

PERFORMANCE ANALYSIS OF ALL STUDENTS

Pass Percentage	82.2	92.37	97.01	100	97.56	96.08	100	100	100	90.91			
Pass Count	97	109	65	118	40	49	15	21	30	10			
Fail Count	21	9	2	0	1	2	0	0	0	1			
No of O grades	3	0	0	3	2	5	0	0	0	0			
No of A+ grades	9	0	0	15	2	13	0	1	0	2			
No of A grades	10	2	0	56	3	8	1	0	1	2			
No of B+ grades	24	18	13	40	15	11	6	2	14	5			
No of B grades	27	46	26	4	14	8	7	5	8	1			
No of C grades	21	33	21	0	4	4	1	13	5	0			
No of P grades	3	10	5	0	0	0	0	0	2	0			
No of F grades	21	9	2	0	1	1	0	0	0	0			
No of FE grades	0	0	0	0	0	0	0	0	0	0			
No of I grades	0	0	0	0	0	0	0	0	0	0			



[Handwritten signature]

PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadaviruppu, Kolenchery - 682 311

PERFORMANCE ANALYSIS OF REGULAR STUDENTS (2015)											
Pass Percentage	82.2	92.37	97.01	100	97.56	96.08	100	100	100	90.91	
Pass Count	97	109	65	118	40	49	15	21	30	10	
Fail Count	21	9	2	0	1	2	0	0	0	1	
No of O grades	3	0	0	3	2	5	0	0	0	0	
No of A+ grades	9	0	0	15	2	13	0	1	0	2	
No of A grades	10	2	0	56	3	8	1	0	1	2	
No of B+ grades	24	18	13	40	15	11	6	2	14	5	
No of B grades	27	46	26	4	14	8	7	5	8	1	
No of C grades	21	33	21	0	4	4	1	13	5	0	
No of P grades	3	10	5	0	0	0	0	0	2	0	
No of F grades	21	9	2	0	1	1	0	0	0	0	
No of FE grades	0	0	0	0	0	0	0	0	0	0	
No of I grades	0	0	0	0	0	0	0	0	0	0	
Total Students (REGULAR)				118							
Total Failed (REGULAR) (students having one or more failed courses)				26							
Total Passed (REGULAR) (students having no failed courses)				92							
Pass Percentage (REGULAR)				77.97%							
TOPPERS (REGULAR)											
SNG15CE050	9.3										
SNG15CE086	8.9										
SNG15CE074	8.8										

SUBJECT-WISE ANALYSIS - REGULAR STUDENTS ONLY (2015)														
SubCode	Credits	Pass %	Pass	Fail	O	A+	A	B+	B	C	P	F	FE	I
CE402	3	82.2	97	21	3	9	10	24	27	21	3	21		0
CE404	3	92.37	109	9	0	0	2	18	46	33	10	9		0
CE474	3	97.01	65	2	0	0	0	13	26	21	5	2		0
CE492	3	100	118	0	3	15	56	40	4	0	0	0		0
MP469	3	97.56	40	1	2	2	3	15	14	4	0	1		0



PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery-682 311

CE462	3	96.08	49	2	5	13	8	11	8	4	0	1	0	0
IE488	3	100	15	0	0	0	1	6	7	1	0	0	0	0
FS482	3	100	21	0	0	1	0	2	5	13	0	0	0	0
BT362	3	100	30	0	0	0	1	14	8	5	2	0	0	0
SB482	3	90.91	10	1	0	2	2	5	1	0	0	0	0	0



R. Huse
PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682311

Exam Centre: SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

B.Tech S8 Exam May 2019


MECHANICAL ENGINEERING

Register No	ME474	ME402	ME404	ME492	CE488	BT362	SB482	MP484	CE482	FS482	SGPA	No_Arrears	Arrear Subjects
KVE15ME022	C	F	F	B+	C						0	2	ME402,ME404
KVE15ME024	C	C	C	B+	B						6.83	0	
KVE15ME025	B+	A	B+	B+	B						7.92	0	
KVE15ME040	B	C	B	B+		B					7.17	0	
KVE15ME049	C	B	B+	B+	B						7.33	0	
LSNG15ME123	B	B	B+	A+			C				7.67	0	
LSNG15ME124	B	B	B	A+	B						7.67	0	
LSNG15ME125	C	C	B+	B+	B						7.17	0	
LSNG15ME127	B	B	B	A+		B+					7.83	0	
LSNG15ME128	C	C	C	A			B				7	0	
SNG15ME001	C	B	C	B+	B						7	0	
SNG15ME002	F	C	C	B+				C			0	1	ME474
SNG15ME003	B+	A	A	B+	B+						8.17	0	
SNG15ME004	B	C	B	B+				B+			7.33	0	
SNG15ME005	B+	B+	B+	A					B		8	0	
SNG15ME006	P	B	B+	B+				C			7	0	
SNG15ME007	C	F	B	B						C	0	1	ME402
SNG15ME008	B	B	B+	B+	B+						7.67	0	
SNG15ME009	B+	B+	A	A+	A						8.5	0	
SNG15ME010	F	C	B	B				C			0	1	ME474
SNG15ME011	C	B	C	B+				B			7	0	
SNG15ME012	C	C	F	B	B						0	1	ME404
SNG15ME013	B	B	B	B+			B				7.33	0	
SNG15ME015	B	C	B+	B+				C			7.17	0	
SNG15ME016	B	C	C	A	B+						7.33	0	
SNG15ME017	C	F	P	B				P			0	1	ME402
SNG15ME018	B	C	B+	B+	B+						7.5	0	
SNG15ME019	F	F	P	B+	C						0	2	ME474,ME402
SNG15ME020	C	F	C	B			B				0	1	ME402
SNG15ME023	B	B	B+	A	B+						7.83	0	



PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery-682 311

SNG15ME024	C	F	F	B			B			0	2	ME402,ME404
SNG15ME025	B	C	C	A		B+				7.33	0	
SNG15ME026	P	F	P	B					C	0	1	ME402
SNG15ME027	C	C	F	B					C	0	1	ME404
SNG15ME029	B+	A+	B+	O		A+				9	0	
SNG15ME031	P	C	P	B					C	6	0	
SNG15ME032	C	P	C	B+					P	6.33	0	
SNG15ME033	C	F	F	B+			C			0	2	ME402,ME404
SNG15ME034	B	C	C	B+		A+				7.33	0	
SNG15ME035	C	C	B	B+			B			7	0	
SNG15ME036	B	B	B	A			B+			7.67	0	
SNG15ME037	B	C	C	B	B					6.67	0	
SNG15ME038	B+	C	C	A+	B+					7.67	0	
SNG15ME039	C	C	C	A			B			7	0	
SNG15ME040	C	F	C	A			C			0	1	ME402
SNG15ME041	B+	F	B	B	B+					0	1	ME402
SNG15ME043	C	F	C	B			C			0	1	ME402
SNG15ME044	A	C	B+	B+	B+					7.75	0	
SNG15ME046	B	A	B	A			B+			7.92	0	
SNG15ME048	C	C	F	B+					C	0	1	ME404
SNG15ME049	B+	B	B	B+		B				7.5	0	
SNG15ME050	C	P	C	B+				B		6.67	0	
SNG15ME051	C	F	P	B+	C					0	1	ME402
SNG15ME052	B	C	B	B+			B			7.17	0	
SNG15ME053	B	B	C	B+					C	7	0	
SNG15ME054	B	P	B	A	B+					7.33	0	
SNG15ME055	P	P	F	B+			C			0	1	ME404
SNG15ME056	A	B+	A	A+		O				8.83	0	
SNG15ME057	B	C	B	A+			B			7.5	0	
SNG15ME058	B+	B+	B+	B+			A			8.08	0	
SNG15ME060	F	P	F	B+			F			0	3	ME474,ME404,SB482
SNG15ME061	C	F	F	B+			P			0	2	ME402,ME404
SNG15ME064	B	C	B	B+		B+				7.33	0	
SNG15ME065	B	B	B	A	B					7.5	0	



PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery-682 311

SNG15ME066	B+	B	B+	O	B+						8.5	0	
SNG15ME067	B	F	C	O	B						0	1	ME402
SNG15ME068	B	F	C	B+	B+						0	1	ME402
SNG15ME069	F	F	C	A+				C			0	2	ME474,ME402
SNG15ME071	B	F	C	A	B						0	1	ME402
SNG15ME072	B	B+	B+	A+	B						8	0	
SNG15ME074	Absent	F	F	B					C		0	3	ME474,ME402,ME404
SNG15ME076	B	B+	B+	O				B			8.33	0	
SNG15ME077	C	B	C	A				C			7	0	
SNG15ME078	B	A	B+	A				A			8.17	0	
SNG15ME079	B+	B+	A	O	A						8.83	0	
SNG15ME082	B	F	C	A				B			0	1	ME402
SNG15ME083	C	F	Absent	A+	B						0	2	ME402,ME404
SNG15ME085	F	F	FE	B+					F		0	4	ME474,ME402,ME404,FS482
SNG15ME086	B+	B+	C	B	B+						7.33	0	
SNG15ME087	F	F	P	B+					C		0	2	ME474,ME402
SNG15ME088	B	C	C	B+		A					7.25	0	
SNG15ME089	C	B	C	B+					B		7	0	
SNG15ME090	F	B	F	A		B+					0	2	ME474,ME404
SNG15ME091	B	B	B	B+				C			7.17	0	
SNG15ME092	C	F	C	B+					P		0	1	ME402
SNG15ME093	B+	B	B	A	B+						7.83	0	
SNG15ME094	B+	A+	B+	A+		B+					8.5	0	
SNG15ME095	B+	B+	B+	B+					C		7.67	0	
SNG15ME096	B	B	B+	B+				B+			7.67	0	
SNG15ME097	B+	A+	B+	B+				B+			8.17	0	
SNG15ME098	B	B+	B+	A+	B+						8.17	0	
SNG15ME099	C	B+	B+	A		B+					7.83	0	
SNG15ME100	B	B+	C	B+	B						7.33	0	
SNG15ME101	B	B	B	B+	B						7.33	0	
SNG15ME103	C	A	C	B				B			6.92	0	
SNG15ME104	C	B	B	B+	B						7.17	0	
SNG15ME105	Absent	F	Absent	A				Absent			0	4	ME474,ME402,ME404,SB482
SNG15ME106	B+	B+	B+	A+	B+						8.33	0	




PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682 311

SNG15ME107	A	B+	A	O		A+					9	0
SNG15ME109	B	B+	B	A+	B+						8	0
SNG15ME110	B	C	B+	A+	B+						7.83	0
SNG15ME112	B+	B+	C	B	B+						7.33	0
SNG15ME113	B	C	F	A			P				0	1 ME404
SNG15ME114	B	B	B	B		B+					7.17	0
SNG15ME115	B	Absent	Absent	B+					C		0	2 ME402,ME404
SNG15ME116	B	F	B	A+	B+						0	1 ME402
SNG15ME117	C	F	C	A	B						0	1 ME402
SNG15ME118	C	B	C	A+	B						7.33	0
SNG15ME120	B+	O	B	A			B+				8.33	0
SNG15ME121	B+	A+	B	A+		B+					8.33	0
SNG15ME122	B+	B	C	A+	B						7.67	0


PERFORMANCE ANALYSIS OF ALL STUDENTS

Pass Percentage	90.99	75.68	85.59	100	100	100	89.47	100	100	92.86		
Pass Count	101	84	95	111	43	15	17	17	3	13		
Fail Count	10	27	16	0	0	0	2	0	0	1		
No of O grades	0	1	0	6	0	1	0	0	0	0		
No of A+ grades	0	4	0	19	0	3	0	0	0	0		
No of A grades	3	5	5	22	2	1	1	1	0	0		
No of B+ grades	21	16	25	47	19	8	4	2	0	0		
No of B grades	41	26	26	17	19	2	5	6	3	1		
No of C grades	32	27	33	0	3	0	6	6	0	10		
No of P grades	4	5	6	0	0	0	1	2	0	2		
No of F grades	8	26	12	0	0	0	1	0	0	1		
No of FE grades	0	0	1	0	0	0	0	0	0	0		
No of I grades	0	0	0	0	0	0	0	0	0	0		

PERFORMANCE ANALYSIS OF REGULAR STUDENTS (2015)

Pass Percentage	90.99	75.68	85.59	100	100	100	89.47	100	100	92.86		
Pass Count	101	84	95	111	43	15	17	17	3	13		




PRINCIPAL
 Sree Narayana Guru College of Engineering
 Kadayiruppu, Kolenchery-682 311

Fail Count	10	27	16	0	0	0	2	0	0	1		
No of O grades	0	1	0	6	0	1	0	0	0	0		
No of A+ grades	0	4	0	19	0	3	0	0	0	0		
No of A grades	3	5	5	22	2	1	1	1	0	0		
No of B+ grades	21	16	25	47	19	8	4	2	0	0		
No of B grades	41	26	26	17	19	2	5	6	3	1		
No of C grades	32	27	33	0	3	0	6	6	0	10		
No of P grades	4	5	6	0	0	0	1	2	0	2		
No of F grades	8	26	12	0	0	0	1	0	0	1		
No of FE grades	0	0	1	0	0	0	0	0	0	0		
No of I grades	0	0	0	0	0	0	0	0	0	0		
Total Students (REGULAR)				111								
Total Failed (REGULAR) (students having or				36								
Total Passed (REGULAR) (students having n				75								
Pass Percentage (REGULAR)				67.57%								
TOPPERS (REGULAR)												
SNG15ME107	9											
SNG15ME029	9											
SNG15ME056	8.83											

SUBJECT-WISE ANALYSIS - REGULAR STUDENTS ONLY (2015)														
SubCode	Credits	Pass %	Pass	Fail	O	A+	A	B+	B	C	P	F	FE	I
ME474	3	90.99	101	10	0	0	0	3	21	41	32	4	8	0 0
ME402	3	75.68	84	27	1	4	5	16	26	27	5	26	0 0	
ME404	3	85.59	95	16	0	0	5	25	26	33	6	12	1 0	
ME492	6	100	111	0	6	19	22	47	17	0	0	0	0 0	
CE488	3	100	43	0	0	0	2	19	19	3	0	0	0 0	
BT362	3	100	15	0	1	3	1	8	2	0	0	0	0 0	
SB482	3	89.47	17	2	0	0	1	4	5	6	1	1	0 0	
MP484	3	100	17	0	0	0	1	2	6	6	2	0	0 0	
CE482	3	100	3	0	0	0	0	0	3	0	0	0	0 0	
FS482	3	92.86	13	1	0	0	0	0	1	10	2	1	0 0	



PRINCIPAL
Sree Narayana Guru
College of Engineering,
Kadayiruppu, Kolenchery-682

Exam Centre: SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

B.Tech S8 Exam May 2019

ELECTRICAL AND ELECTRONICS ENGINEERING

Register No	EE402	EE404	EE474	EE492	MP484	BT362	CE488	FS482	CE482	MP469	SGPA	No_Arrears	Arrear Subjects
LSNG15EE039	C	C	C	A+	C						7	0	
SNG15EE001	C	B	B	A+	C						7.33	0	
SNG15EE003	B	C	B+	B+	C						7.17	0	
SNG15EE004	C	C	C	C	B						6.17	0	
SNG15EE005	C	C	C	C	C						6	0	
SNG15EE008	B	C	B+	A+		B+					7.83	0	
SNG15EE009	C	B	B	A+	B						7.5	0	
SNG15EE010	B+	B+	B+	A	B						8	0	
SNG15EE011	B+	B+	B+	C	B+						7.33	0	
SNG15EE013	B	B	B	A+	B+						7.83	0	
SNG15EE015	A	B+	A+	A+	B+						8.58	0	
SNG15EE017	C	C	C	A+			B+				7.33	0	
SNG15EE018	F	P	P	C				C			0	1	EE402
SNG15EE021	C	C	C	C			C				6	0	
SNG15EE022	B	B+	B+	A+	C						7.83	0	
SNG15EE023	C	C	C	A	B						7	0	
SNG15EE024	B+	B+	A	A+	B+						8.42	0	
SNG15EE025	C	B	C	B+	B						7	0	
SNG15EE026	B	C	B	A+				B+			7.67	0	
SNG15EE028	B	B	B+	A+					B		7.83	0	
SNG15EE029	C	B	B	A+						B	7.5	0	
SNG15EE031	B	B	B	B+	B						7.33	0	
SNG15EE032	C	C	B	A+			B+				7.5	0	
SNG15EE033	B+	B+	A+	A+	A						8.58	0	
SNG15EE035	B+	B+	A	A+	B+						8.42	0	
SNG15EE036	C	B	C	A				B			7.17	0	
SNG15EE037	P	P	P	B+						B	6.33	0	
SNG15EE038	C	P	C	B+	C						6.5	0	

PERFORMANCE ANALYSIS OF ALL STUDENTS



A
 PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery

Pass Percentage	96.43	100	100	100	100	100	100	100	100	100			
Pass Count	27	28	28	28	18	1	3	3	1	2			
Fail Count	1	0	0	0	0	0	0	0	0	0			
No of O grades	0	0	0	0	0	0	0	0	0	0			
No of A+ grades	0	0	2	15	0	0	0	0	0	0			
No of A grades	1	0	2	3	1	0	0	0	0	0			
No of B+ grades	5	7	6	5	5	1	2	1	0	0			
No of B grades	7	8	7	0	6	0	0	1	1	2			
No of C grades	13	10	9	5	6	0	1	1	0	0			
No of P grades	1	3	2	0	0	0	0	0	0	0			
No of F grades	1	0	0	0	0	0	0	0	0	0			
No of FE grades	0	0	0	0	0	0	0	0	0	0			
No of I grades	0	0	0	0	0	0	0	0	0	0			

PERFORMANCE ANALYSIS OF REGULAR STUDENTS (2015)

Pass Percentage	96.43	100	100	100	100	100	100	100	100	100			
Pass Count	27	28	28	28	18	1	3	3	1	2			
Fail Count	1	0	0	0	0	0	0	0	0	0			
No of O grades	0	0	0	0	0	0	0	0	0	0			
No of A+ grades	0	0	2	15	0	0	0	0	0	0			
No of A grades	1	0	2	3	1	0	0	0	0	0			
No of B+ grades	5	7	6	5	5	1	2	1	0	0			
No of B grades	7	8	7	0	6	0	0	1	1	2			
No of C grades	13	10	9	5	6	0	1	1	0	0			
No of P grades	1	3	2	0	0	0	0	0	0	0			
No of F grades	1	0	0	0	0	0	0	0	0	0			
No of FE grades	0	0	0	0	0	0	0	0	0	0			
No of I grades	0	0	0	0	0	0	0	0	0	0			

Total Students (REGULAR)				28									
Total Failed (REGULAR) (students having one or more arrears)				1									
Total Passed (REGULAR) (students having no arrears)				27									



A. H.

PRINCIPAL
Sree Narayana Gur
College of Engineering
Kadayiruppu, Kolenchery

Pass Percentage (REGULAR)		96.43%											
TOPPERS (REGULAR)													
SNG15EE033	8.58												
SNG15EE015	8.58												
SNG15EE024	8.42												

SUBJECT-WISE ANALYSIS - REGULAR STUDENTS ONLY (2015)

SubCode	Credits	Pass %	Pass	Fail	O	A+	A	B+	B	C	P	F	FE	I
EE402	3	96.43	27	1	0	0	1	5	7	13	1	1		0 0
EE404	3	100	28	0	0	0	0	7	8	10	3	0		0 0
EE474	3	100	28	0	0	2	2	6	7	9	2	0		0 0
EE492	6	100	28	0	0	15	3	5	0	5	0	0		0 0
MP484	3	100	18	0	0	0	1	5	6	6	0	0		0 0
BT362	3	100	1	0	0	0	0	1	0	0	0	0		0 0
CE488	3	100	3	0	0	0	0	2	0	1	0	0		0 0
FS482	3	100	3	0	0	0	0	1	1	1	0	0		0 0
CE482	3	100	1	0	0	0	0	0	1	0	0	0		0 0
MP469	3	100	2	0	0	0	0	0	2	0	0	0		0 0




R. Anwar
PRINCIPAL
 Sree Narayana Guru
 College of Engineering
 Kadayiruppu, Kolenchery

Exam Centre: SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

B.Tech S8 Exam May 2019

ELECTRONICS & COMMUNICATION ENGG

Register No	BT362	EC402	EC404	EC468	EC492	MP484	IE488	CE482	FS482	SGPA	No_Arrears	Arrear Subjects
KVE15EC001	B	C	C	C	B+					6.25	0	
LSNG15EC046		B	B	C	B	C				6.5	0	
LSNG15EC047		C	B	F	B	C				0	1	EC468
LSNG15EC048		B	B+	B	B+	C				7	0	
LSNG15EC049		B	B	B	B+	B				7	0	
LSNG15EC050	C	C	B	B	B					6.5	0	
LSNG15EC051		F	B	P	B+	C				0	1	EC402
LSNG15EC052	F	F	F	F	B+					0	4	BT362,EC402,EC404,EC468
SNG15EC001	F	F	F	F	B					0	4	BT362,EC402,EC404,EC468
SNG15EC003	B	B	F	P	B+					0	1	EC404
SNG15EC004	B	B	C	B	B+					6.75	0	
SNG15EC005		B	C	B+	B+		B+			7.25	0	
SNG15EC006		B+	B	B+	B+	A				7.88	0	
SNG15EC007		B+	B	B+	B+	B+				7.75	0	
SNG15EC008		B+	C	B+	B+		B+			7.5	0	
SNG15EC009		B	F	F	B+	C				0	2	EC404,EC468
SNG15EC010		B	B	B	B+	B+				7.25	0	
SNG15EC011		F	B	B	B+		B			0	1	EC402
SNG15EC012		B	B	B	B+	B				7	0	
SNG15EC013		B	B	B	B		B			7	0	
SNG15EC014		B	B+	B+	B+	B				7.5	0	
SNG15EC015		B	C	C	B+			B		6.5	0	
SNG15EC016		B	C	B+	B+		B			7	0	
SNG15EC017	A+	B+	B+	A+	B+					8.5	0	
SNG15EC018		B	B	B	B+			B		7	0	
SNG15EC019		B	B	B	B		B+			7.25	0	
SNG15EC020		B	B	B	B	B+				7.25	0	
SNG15EC021		F	B	C	B+	B+				0	1	EC402
SNG15EC022	A	B	B+	B+	B+					7.88	0	
SNG15EC023		B+	B	B+	B+	A				7.88	0	
SNG15EC024	C	C	F	B	B+					0	1	EC404



A. Huse
PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682


SNG15EC025		C	B	C	B+		B			6.5	0	
SNG15EC027	A	B	B	B+	B+					7.63	0	
SNG15EC028		B	B+	B+	A		B			7.5	0	
SNG15EC029		B	B	B	A	A				7.38	0	
SNG15EC030		B	B+	B	B	B+				7.5	0	
SNG15EC031		B	B	B	B+	B+				7.25	0	
SNG15EC033		F	C	F	B+	C				0	2	EC402,EC468
SNG15EC034	B	F	B	B	B+					0	1	EC402
SNG15EC037		B	C	F	B+			C		0	1	EC468
SNG15EC039	B	B	B	B+	B+					7.25	0	
SNG15EC040		C	B	B	B+		B			6.75	0	
SNG15EC042	B+	B+	B	B	B					7.5	0	
SNG15EC043	A	B+	B+	B+	B+					8.13	0	
SNG15EC045		C	B	B	B+	C				6.5	0	

PERFORMANCE ANALYSIS OF ALL STUDENTS

Pass Percentage	85.71	84.44	88.89	86.67	100	100	100	100	100			
Pass Count	12	38	40	39	45	19	8	3	1			
Fail Count	2	7	5	6	0	0	0	0	0			
No of O grades	0	0	0	0	0	0	0	0	0			
No of A+ grades	1	0	0	1	0	0	0	0	0			
No of A grades	3	0	0	0	2	3	0	0	0			
No of B+ grades	1	7	7	12	34	6	3	0	0			
No of B grades	5	24	25	19	9	3	5	3	0			
No of C grades	2	7	8	5	0	7	0	0	1			
No of P grades	0	0	0	2	0	0	0	0	0			
No of F grades	2	7	5	6	0	0	0	0	0			
No of FE grades	0	0	0	0	0	0	0	0	0			
No of I grades	0	0	0	0	0	0	0	0	0			

PERFORMANCE ANALYSIS OF REGULAR STUDENTS (2015)

Pass Percentage	85.71	84.44	88.89	86.67	100	100	100	100	100			
Pass Count	12	38	40	39	45	19	8	3	1			



A. Huse
PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682

Fail Count	2	7	5	6	0	0	0	0	0											
No of O grades	0	0	0	0	0	0	0	0	0											
No of A+ grades	1	0	0	1	0	0	0	0	0											
No of A grades	3	0	0	0	2	3	0	0	0											
No of B+ grades	1	7	7	12	34	6	3	0	0											
No of B grades	5	24	25	19	9	3	5	3	0											
No of C grades	2	7	8	5	0	7	0	0	1											
No of P grades	0	0	0	2	0	0	0	0	0											
No of F grades	2	7	5	6	0	0	0	0	0											
No of FE grades	0	0	0	0	0	0	0	0	0											
No of I grades	0	0	0	0	0	0	0	0	0											
Total Students (REGULAR)				45																
Total Failed (REGULAR) (students having one or more arrears)				12																
Total Passed (REGULAR) (students having no arrears)				33																
Pass Percentage (REGULAR)				73.33%																
TOPPERS (REGULAR)																				
SNG15EC017	8.5																			
SNG15EC043	8.13																			
SNG15EC023	7.88																			

SUBJECT-WISE ANALYSIS - REGULAR STUDENTS ONLY (2015)

SubCode	Credits	Pass %	Pass	Fail	O	A+	A	B+	B	C	P	F	FE	I
BT362	3	85.71	12	2	0	1	3	1	5	2	0	2	0	0
EC402	3	84.44	38	7	0	0	0	7	24	7	0	7	0	0
EC404	3	88.89	40	5	0	0	0	7	25	8	0	5	0	0
EC468	3	86.67	39	6	0	1	0	12	19	5	2	6	0	0
EC492		100	45	0	0	0	2	34	9	0	0	0	0	0
MP484	3	100	19	0	0	0	3	6	3	7	0	0	0	0
IE488	3	100	8	0	0	0	0	3	5	0	0	0	0	0
CE482	3	100	3	0	0	0	0	0	3	0	0	0	0	0
FS482	3	100	1	0	0	0	0	0	0	1	0	0	0	0

PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery - 682 311



Exam Centre: SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

B.Tech S8 Exam May 2019

COMPUTER SCIENCE & ENGINEERING

Register No	CS402	CS404	CS464	CS492	IE488	CS468	CE482	CS472	MP469	FS482	SB482	SGPA	No_Arrears	Arrear Subjects
SNG15CS001	B+	B	B+	A+	B+							8.17	0	
SNG15CS002	B	B		A	B	B						7.5	0	
SNG15CS004	C	C		A	B	P						6.83	0	
SNG15CS006	A	B+		O	B	B						8.42	0	
SNG15CS007	B+	A		O		B+	B+					8.75	0	
SNG15CS008	B	B		A+		C	B					7.5	0	
SNG15CS012	B+	B+		A+		B	B+					8.17	0	
SNG15CS013	A	A		O		B+	B+					8.83	0	
SNG15CS014	B	B		A		B	B					7.5	0	
SNG15CS016	B	B		A+	B+	B						7.83	0	
SNG15CS017	F	B		B+				F	B+			0	2	CS402,CS472
SNG15CS018	B	B		A+		B	B+					7.83	0	
SNG15CS019	C	B		A	B	C						7.17	0	
SNG15CS020	F	F	C	A	B							0	2	CS402,CS404
SNG15CS021	B	C		O		C	B					7.67	0	
SNG15CS022	B	B		A+	B+			C				7.67	0	
SNG15CS023	B	C		A	A	B						7.58	0	
SNG15CS024	B	C		A+		P	B					7.17	0	
SNG15CS025	B+	C		A+		B	C					7.5	0	
SNG15CS026	B+	B+		A+		C	B+					8	0	
SNG15CS027	B	B+		A+	B+	B						8	0	
SNG15CS028	B+	B		A+	B+	C						7.83	0	
SNG15CS029	B	C		A		B	B					7.33	0	
SNG15CS030	F	B		A+		C	C					0	1	CS402
SNG15CS031	B	B		A+		B	B					7.67	0	
SNG15CS032	B	B		A		C	C					7.17	0	
SNG15CS033	B	B		A			B+	B				7.67	0	
SNG15CS034	A+	A		O	B	B						8.58	0	
SNG15CS035	B	B		A		B	B+					7.67	0	
SNG15CS036	C	B	B	A+	B							7.5	0	




A. Huse

PRINCIPAL

Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery-682 311

SNG15CS037	B+	B+		A+	B+	C					8	0	
SNG15CS038	B+	A+		O		B+	B+				8.83	0	
SNG15CS039	C	B		A		F	B				0	1	CS468
SNG15CS040	B+	B		O		B	B+				8.33	0	
SNG15CS041	A	B+		A+		B	B+				8.25	0	
SNG15CS042	C	C		A+	B+	B					7.5	0	
SNG15CS043	C	B		O		C	B				7.67	0	
SNG15CS044	B	B+		A+	B+	B					8	0	
SNG15CS045	P	B		A+	B	C					7.17	0	
SNG15CS046	B	B		A		C	B				7.33	0	
SNG15CS047	F	C		A+	B	P					0	1	CS402
SNG15CS049	C	C		O		C		A			7.75	0	
SNG15CS050	C	B		A	B	B					7.33	0	
SNG15CS051	B	B		A		C	B+				7.5	0	
SNG15CS052	B	B		A+	B+	B					7.83	0	
SNG15CS053	B+	B+	B	O	B+						8.5	0	
SNG15CS054	B+	B+		O			B+	A			8.75	0	
SNG15CS055	FE	Absent	Absent	Absent					Absent		0	5	CS402,CS404,CS464, CS492,FS482
SNG15CS057	F	B	C	A				B			0	1	CS402
SNG15CS058	C	F		A			F		F		0	3	CS404,CS472,FS482
SNG15CS059	B	C		A			F	B+			0	1	CS472
SNG15CS060	B	C	B+	A	B+						7.67	0	
SNG15CS061	A	B+		A			A	B+			8.33	0	
SNG15CS062	B	C	C	A	B+						7.33	0	
SNG15CS063	A	C	B+	A+	B+						8.08	0	
SNG15CS064	B	C	P	B+	B						6.83	0	
SNG15CS065	A	A+		O			B+	A			9	0	
SNG15CS066	B	C	B	B+						B	7.17	0	
SNG15CS067	B	B+		A		B				B+	7.83	0	
SNG15CS068	C	B		A			B	C			7.17	0	
SNG15CS069	A	B+		A+				B+	B+		8.42	0	
SNG15CS070	B	B+		A				C	B+		7.67	0	
SNG15CS071	F	C		A				C	B		0	1	CS402




PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682 311

SNG15CS072	F	B		O				F	B			0	2	CS402,CS472
SNG15CS073	B+	B	B	B+							B	7.5	0	
SNG15CS074	A	B+		A+			B+	B+				8.42	0	
SNG15CS075	C	C		A+				F	C			0	1	CS472
SNG15CS076	B	B		A			B+	B				7.67	0	
SNG15CS078	C	C		A				C	B			7	0	
SNG15CS079	B+	A+		A+			B+	B				8.33	0	
SNG15CS080	O	B+		A		B+	B+					8.5	0	
SNG15CS081	B+	A		A+			B	B				8.08	0	
SNG15CS082	B+	B		A				B	B+			7.83	0	
SNG15CS085	F	F	F	B+	B							0	3	CS402,CS404,CS464
SNG15CS086	C	F		A		C				C		0	1	CS404
SNG15CS087	C	C		B+				P		C		6.5	0	
SNG15CS088	B+	B+	B	A					B+			8	0	
SNG15CS090	B	B	B	O			C					7.83	0	
SNG15CS091	C	Absent		A	F			C				0	2	CS404,IE488
SNG15CS092	B	B	C	A	B+							7.5	0	
SNG15CS093	P	F		A				F		C		0	2	CS404,CS472
SNG15CS095	F	C	C	A+	B+							0	1	CS402
SNG15CS098	B	B+		A+				C	B+			7.83	0	
SNG15CS099	A	B		A			C	B				7.58	0	
SNG15CS100	B+	B+		O			B+	B+				8.67	0	
SNG15CS102	F	B+	C	A+					B			0	1	CS402
SNG15CS104	C	C	C	A+					B			7.17	0	
SNG15CS106				B+						C		7.33	0	

PERFORMANCE ANALYSIS OF ALL STUDENTS

Pass Percentage	87.36	91.95	89.47	98.86	96.55	97.62	100	76.92	100	71.43	100			
Pass Count	76	80	17	87	28	41	33	20	17	5	2			
Fail Count	11	7	2	1	1	1	0	6	0	2	0			
No of O grades	1	0	0	15	0	0	0	0	0	0	0			
No of A+ grades	1	3	0	31	0	0	0	0	0	0	0			
No of A grades	9	4	0	34	1	0	1	0	3	0	0			



A. Huse

PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery-682311

No of B+ grades	17	19	3	7	15	4	16	6	7	1	0		
No of B grades	30	33	6	0	12	20	11	6	6	0	2		
No of C grades	16	21	7	0	0	14	5	7	1	4	0		
No of P grades	2	0	1	0	0	3	0	1	0	0	0		
No of F grades	10	5	1	0	1	1	0	6	0	1	0		
No of FE grades	1	0	0	0	0	0	0	0	0	0	0		
No of I grades	0	0	0	0	0	0	0	0	0	0	0		


PERFORMANCE ANALYSIS OF REGULAR STUDENTS (2015)

Pass Percentage	87.36	91.95	89.47	98.86	96.55	97.62	100	76.92	100	71.43	100		
Pass Count	76	80	17	87	28	41	33	20	17	5	2		
Fail Count	11	7	2	1	1	1	0	6	0	2	0		
No of O grades	1	0	0	15	0	0	0	0	0	0	0		
No of A+ grades	1	3	0	31	0	0	0	0	0	0	0		
No of A grades	9	4	0	34	1	0	1	0	3	0	0		
No of B+ grades	17	19	3	7	15	4	16	6	7	1	0		
No of B grades	30	33	6	0	12	20	11	6	6	0	2		
No of C grades	16	21	7	0	0	14	5	7	1	4	0		
No of P grades	2	0	1	0	0	3	0	1	0	0	0		
No of F grades	10	5	1	0	1	1	0	6	0	1	0		
No of FE grades	1	0	0	0	0	0	0	0	0	0	0		
No of I grades	0	0	0	0	0	0	0	0	0	0	0		

Total Students (REGULAR)							88						
Total Failed (REGULAR) (students having or							18						
Total Passed (REGULAR) (students having n							70						
Pass Percentage (REGULAR)							79.55%						

TOPPERS (REGULAR)													
SNG15CS065	9												
SNG15CS038	8.83												
SNG15CS013	8.83												




PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682311

SUBJECT-WISE ANALYSIS - REGULAR STUDENTS ONLY (2015)

SubCode	Credits	Pass %	Pass	Fail	O	A+	A	B+	B	C	P	F	FE	I
CS402	3	87.36	76	11	1	1	9	17	30	16	2	10	1	0
CS404	3	91.95	80	7	0	3	4	19	33	21	0	5	0	0
CS464	3	89.47	17	2	0	0	0	3	6	7	1	1	0	0
CS492	6	98.86	87	1	15	31	34	7	0	0	0	0	0	0
IE488	3	96.55	28	1	0	0	1	15	12	0	0	1	0	0
CS468	3	97.62	41	1	0	0	0	4	20	14	3	1	0	0
CE482	3	100	33	0	0	0	1	16	11	5	0	0	0	0
CS472	3	76.92	20	6	0	0	0	6	6	7	1	6	0	0
MP469	3	100	17	0	0	0	3	7	6	1	0	0	0	0
FS482	3	71.43	5	2	0	0	0	1	0	4	0	1	0	0
SB482	3	100	2	0	0	0	0	0	2	0	0	0	0	0




A. Huse
PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682 311

Exam Centre: SREE NARAYANA GURUKULAM COLLEGE OF ENGINEERING

B.Tech S8 Exam May 2019

NAVAL ARCHITECTURE & SHIP BUILDING ENGG

Register No	SB466	SB402	SB404	SB492	CE482	CE488	FS482	IE488	MP484	SGPA	No_Arrears	Arrear Subjects
SNG15NS001	B	A	B+	O	B+					8.58	0	
SNG15NS002	A+	A+	O	O	B+					9.33	0	
SNG15NS003	B	A	B+	O		A				8.67	0	
SNG15NS004	C	B+	B	A+	B					7.67	0	
SNG15NS006	C	B+	B+	A+			C			7.67	0	
SNG15NS007	B	B+	B+	B+		B				7.67	0	
SNG15NS008	B	B+	B+	A+		B				8	0	
SNG15NS009	B+	A	A+	O		B+				8.92	0	
SNG15NS010	P	B	B	B+		B				7	0	
SNG15NS011	C	B	B	B+			C			7	0	
SNG15NS012	C	B	B+	A+		B+				7.83	0	
SNG15NS013	B+	A	B+	A+		A				8.5	0	
SNG15NS014	C	B	B+	B+	B					7.33	0	
SNG15NS015	A+	A	A	O	B+					9	0	
SNG15NS016	C	B	B+	B+			B			7.33	0	
SNG15NS017	B	B+	B+	A+	B					8	0	
SNG15NS018	B	B	B+	A+	B+					8	0	
SNG15NS019	F	B+	B+	A+			B			0	1	SB466
SNG15NS020	B	A+	A	A+				B+		8.42	0	
SNG15NS021	A+	A	B+	O					A	9	0	
SNG15NS022	B	B+	B+	O				B+		8.5	0	
SNG15NS023	C	B	B+	B			P			6.67	0	
SNG15NS024	P	B	B+	B+	C					7	0	
SNG15NS025	C	B+	A	B+			P			7.25	0	
SNG15NS026	B	A+	A	O	B+					8.75	0	
SNG15NS027	C	B	B	B				B+		7	0	
SNG15NS028	C	B+	A	B+	C					7.42	0	
SNG15NS029	A	A+	A	A+			B+			8.67	0	
SNG15NS030	A	A	A	B+			B			8.08	0	
SNG15NS031	B+	A+	A	O		B+				8.92	0	
SNG15NS032	C	B+	A	B+		B				7.58	0	



R. Huse

PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery - 682311

SNG15NS033	B	B+	A	B+		B				7.75	0
SNG15NS034	A	A+	O	O	A+					9.42	0
SNG15NS035	A+	A+	A+	O	B+					9.17	0
SNG15NS036	B	A	A+	A			B+			8.25	0
SNG15NS037	A	A+	A+	O	B+					9.08	0
SNG15NS038	C	B+	B	O	C					7.83	0
SNG15NS040	B	B+	A	A	B					7.92	0
SNG15NS041	B	B+	B+	B+	C					7.5	0
SNG15NS042	C	B	B+	B+			B			7.33	0
SNG15NS043	A	O	O	O				O		9.75	0
SNG15NS044	C	B+	B+	B+	C					7.33	0
SNG15NS045	B	B+	A+	A		B+				8.17	0
SNG15NS046	B	B+	B+	B+			B			7.67	0
SNG15NS047	B+	A	A+	B+			B+			8.25	0
SNG15NS048	C	B+	A+	B+	B					7.67	0
SNG15NS049	B	A	A+	O	B					8.58	0
SNG15NS050	C	B+	A	B+	B					7.58	0
SNG15NS051	A+	A+	A+	O		A				9.25	0
SNG15NS053	B	B+	B+	B+		F				0	1 CE488
SNG15NS054	A+	A	A	A+			B+			8.67	0
SNG15NS055	B	B	B+	A+		B				7.83	0
SNG15NS057	B+	B+	A	A+				B+		8.42	0
SNG15NS058	F	B	B+	B			C			0	1 SB466
SNG15NS059	P	B	B+	B			P			6.5	0

PERFORMANCE ANALYSIS OF ALL STUDENTS

Pass Percentage	96.36	100	100	100	100	92.86	100	100	100		
Pass Count	53	55	55	55	20	13	12	7	2		
Fail Count	2	0	0	0	0	1	0	0	0		
No of O grades	0	1	3	16	0	0	0	0	1		
No of A+ grades	6	9	9	13	1	0	0	0	0		
No of A grades	5	11	14	3	0	3	0	0	1		
No of B+ grades	5	21	24	19	7	4	3	5	0		
No of B grades	18	13	5	4	7	6	3	2	0		



R. Hussain

PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery-682311

No of C grades	16	0	0	0	5	0	3	0	0		
No of P grades	3	0	0	0	0	0	3	0	0		
No of F grades	2	0	0	0	0	1	0	0	0		
No of FE grades	0	0	0	0	0	0	0	0	0		
No of I grades	0	0	0	0	0	0	0	0	0		

PERFORMANCE ANALYSIS OF REGULAR STUDENTS (2015)

Pass Percentage	96.36	100	100	100	100	92.86	100	100	100		
Pass Count	53	55	55	55	20	13	12	7	2		
Fail Count	2	0	0	0	0	1	0	0	0		
No of O grades	0	1	3	16	0	0	0	0	1		
No of A+ grades	6	9	9	13	1	0	0	0	0		
No of A grades	5	11	14	3	0	3	0	0	1		
No of B+ grades	5	21	24	19	7	4	3	5	0		
No of B grades	18	13	5	4	7	6	3	2	0		
No of C grades	16	0	0	0	5	0	3	0	0		
No of P grades	3	0	0	0	0	0	3	0	0		
No of F grades	2	0	0	0	0	1	0	0	0		
No of FE grades	0	0	0	0	0	0	0	0	0		
No of I grades	0	0	0	0	0	0	0	0	0		

Total Students (REGULAR)				55							
Total Failed (REGULAR) (students having one or more arrears)				3							
Total Passed (REGULAR) (students having no arrears)				52							
Pass Percentage (REGULAR)				94.55%							

TOPPERS (REGULAR)

SNG15NS043	9.75										
SNG15NS034	9.42										
SNG15NS002	9.33										



R. Anwar

PRINCIPAL
Sree Narayana Gurukulam
College of Engineering
Kadayiruppu, Kolenchery-682311

SUBJECT-WISE ANALYSIS - REGULAR STUDENTS ONLY (2015)

SubCode	Credits	Pass %	Pass	Fail	O	A+	A	B+	B	C	P	F	FE	I
SB466	3	96.36	53	2	0	6	5	5	18	16	3	2	0	0
SB402	3	100	55	0	1	9	11	21	13	0	0	0	0	0
SB404	3	100	55	0	3	9	14	24	5	0	0	0	0	0
SB492	6	100	55	0	16	13	3	19	4	0	0	0	0	0
CE482	3	100	20	0	0	1	0	7	7	5	0	0	0	0
CE488	3	92.86	13	1	0	0	3	4	6	0	0	1	0	0
FS482	3	100	12	0	0	0	0	3	3	3	3	0	0	0
IE488	3	100	7	0	0	0	0	5	2	0	0	0	0	0
MP484	3	100	2	0	1	0	1	0	0	0	0	0	0	0



A. Huse

PRINCIPAL
 Sree Narayana Gurukulam
 College of Engineering
 Kadayiruppu, Kolenchery-682 311